



TA CHEN

STAINLESS STEEL 150LB SCREWED FITTINGS




I N D E X

9LB	90° ELBOWS BANDED EQUAL	
TEB	TEES BANDED EQUAL.....	2
4LB	45° ELBOWS BANDED EQUAL	
SLB	STREET ELBOWS 90° BANDED.....	3
+LB	CROSSES BANDED EQUAL	
UCF	UNIONS F/F.....	4
UCM	UNIONS M/F	
UCB	UNIONS B/W.....	5
RCB	ROUND CAPS	
SPG	SQUARE HEAD PLUGS.....	6
HPG	HEX HEAD PLUGS	
HCB	HEX CAPS.....	7
HNT	HEX NUTS	
HBU	HEX BUSHINGS (1/4" × 1/8" ~ 1" × 3/4").....	8
HBU	HEX BUSHINGS (1 1/4" × 1/8" ~ 2" × 1 1/2").....	9
HBU	HEX BUSHINGS (2 1/2" × 1/2" ~ 4" × 3").....	10
RNP	REDUCING HEX NIPPLE (1/4" × 1/8" ~ 1 1/2" × 1 1/4").....	11
RNP	REDUCING HEX NIPPLE (2" × 1/4" ~ 4" × 3").....	12
HNP	HEX NIPPLE	
ONP	HOSE NIPPLE.....	13
FCP	COUPLINGS/SOCKETS	
HCP	HALF COUPLINGS/HALF SOCKETS.....	14
RSB	REDUCING COUPLINGS (1/4" × 1/8" ~ 1" × 3/4").....	15
RSB	REDUCING COUPLINGS (1 1/4" × 1/4" ~ 2" × 1 1/2").....	16
RSB	REDUCING COUPLINGS (2 1/2" × 3/4" ~ 4" × 3").....	17
BNP	BARREL NIPPLE	
WNP	WELDING NIPPLE.....	18
	STANDARD PACKING QUANTITY FOR EACH CARTON.....	19
	WEIGHT LIST.....	20

9LB

90° ELBOWS BANDED EQUAL



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d2	16.0	19.0	22.5	28.0	34.0	43.0	51.0	59.0	72.0	90.0	106.0	132.0
d3	13.5	15.5	19.5	26.0	31.5	40.0	48.0	56.5	68.0	86.0	102.0	127.0
C	6.2	9.4	9.7	10.0	10.5	14.0	16.0	18.0	18.0	22.0	24.0	25.0
E	17.0	19.5	24.0	29.0	32.0	37.0	43.5	48.0	55.5	67.0	77.0	96.0
G	3.5	4.0	4.0	3.0	3.0	4.0	5.0	5.0	5.5	9.0	10.0	8.5
H	6.0	6.0	6.5	7.5	8.5	10.0	11.0	12.0	13.0	14.0	15.0	15.0
I	2.0	2.0	2.5	2.0	2.0	2.5	2.5	2.5	2.5	3.0	3.5	3.5

TEB

TESS BANDED EQUAL



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).



DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d2	16.0	19.0	22.5	28.0	34.0	43.0	51.0	59.0	72.0	90.0	106.0	132.0
d3	13.5	15.5	19.5	26.0	31.5	40.0	48.0	56.5	68.0	87.5	101.5	127.0
C	6.2	9.4	9.7	10.0	12.0	14.5	16.5	17.5	18.0	23.0	24.5	29.0
D	36.0	39.0	46.0	58.0	65.0	74.0	89.0	96.0	113.0	136.0	157.0	194.0
E	18.0	19.5	23.0	29.0	32.5	37.0	44.5	48.0	56.5	68.0	78.5	97.0
G	3.0	3.0	3.0	3.0	3.0	4.0	5.0	5.0	6.0	9.0	10.0	10.0
H	6.0	6.0	5.5	7.5	8.5	9.5	10.5	11.5	12.0	13.5	15.0	15.5
I	2.5	2.0	2.5	2.0	2.0	2.0	2.0	2.5	2.5	4.0	4.0	4.0

4LB

45° ELBOWS BANDED EQUAL



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).



DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d2	16.0	19.0	22.5	30.0	36.0	45.0	53.0	60.0	72.0	90.0	106.0	133.0
d3	13.5	15.5	19.5	28.0	34.0	40.0	50.0	56.0	68.0	87.0	101.5	128.0
C	6.2	9.4	9.7	10.0	11.0	14.0	18.0	18.0	18.0	22.0	25.0	25.0
E	16.0	17.0	19.0	21.0	24.0	28.0	33.0	36.0	42.0	49.0	54.0	65.0
H	6.0	6.5	6.0	9.0	10.0	10.0	10.0	11.0	13.0	14.0	15.0	15.0
I	2.0	2.0	2.0	2.5	2.5	2.5	2.5	2.5	2.5	4.0	4.0	4.0

SLB

STREET ELBOWS 90° BANDED




- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).

DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d2	15.0	18.0	22.5	28.0	36.0	45.0	52.0	60.0	73.0	90.0	106.0	132.0
d3	12.0	15.0	20.0	26.0	33.0	42.0	49.0	56.0	69.0	86.0	101.0	128.0
C	6.2	9.4	9.7	10.0	12.0	14.0	17.0	17.0	18.0	23.0	24.0	25.0
E	18.0	21.0	24.0	27.0	33.0	37.0	44.0	47.0	59.0	66.0	77.0	98.0
H	4.0	5.0	6.0	8.0	9.0	9.0	11.0	11.0	13.0	14.0	15.0	18.0
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D2	5.0	6.0	9.0	14.0	20.0	25.0	33.0	40.0	50.0	57.0	74.0	97.0
D3	8.5	12.0	14.0	19.0	25.0	31.0	38.0	45.0	57.0	66.0	81.0	106.0
C1	8.0	11.0	12.0	13.0	13.0	17.0	19.0	19.0	20.0	24.0	29.0	34.0
E1	26.0	29.0	36.0	41.0	47.0	53.0	63.0	69.0	80.0	105.0	113.0	130.0
I	2.0	2.0	2.0	2.0	2.0	2.0	2.5	2.5	2.5	4.0	4.0	4.0


+LB**CROSSES BANDED EQUAL**

- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).

DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d2	16.0	20.0	25.0	30.0	36.0	45.0	53.0	60.0	73.0	90.0	106.0	132.0
d3	14.0	18.0	23.0	28.0	34.0	42.0	50.0	56.0	69.0	86.0	102.0	128.0
C	6.2	9.4	9.7	10.0	12.0	14.0	18.0	18.0	18.0	22.0	25.0	26.0
E	17.5	19.0	23.0	29.0	32.5	37.5	44.0	48.0	59.0	68.0	78.0	97.0
H	6.0	7.0	7.0	7.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	15.0

UCF**UNIONS F/F**

- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A±1.5	37	37	39	41	42	51	52	56	60	75	89	99
A1±0.5	12	12	12	13	16	17	16	18	18	26	30	32
H±0.5	15	15	16	15	16	18	21	22	25	25	29	34
S1±1.0	18	18	23	27	32	41	50	56	69	85	99	125
S2±1.0	29	29	36	41	49	58	68	77	92	109	125	156

UCM

UNIONS M/F



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A±1.5	52	53	57	62	66	72	78	81	88	100	119	132
A1±0.5	27	27	31	34	34	39	42	43	47	51	62	67
H±0.5	15	15	15	15	16	18	21	22	25	25	29	34
S1±1.0	18	18	23	27	32	41	50	56	69	85	99	125
S2±1.0	29	29	36	41	49	58	68	77	92	109	125	156

UCB

UNIONS B/W



- CF8 (304) & CF8M (316).
- SHIPPING QUANTITY: ±10%.


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
A±1.2	32.0	38.0	40.0	47.0	49.5	54.0	57.0	60.0	70.0	81.0
D±0.5	13.8	17.3	21.6	27.1	34.0	42.8	48.6	60.6	76.3	89.1
S±0.5	29.0	36.0	41.0	49.0	58.0	67.7	76.7	91.5	109.0	125.0
H±0.5	14.0	14.0	14.0	14.0	18.0	19.0	21.0	24.0	24.0	28.0

RCB

ROUND CAPS



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d2	16.0	20.0	25.5	30.0	36.0	44.5	53.0	60.0	74.0	91.0	110.0	139.0
d3	13.5	18.0	23.5	28.0	33.0	41.5	50.0	57.0	70.0	86.0	104.0	133.0
A	15.0	22.0	24.5	28.0	28.0	32.0	32.5	36.0	39.0	43.0	47.5	51.0
C	6.2	9.4	9.7	10.0	12.0	15.0	18.0	18.0	18.0	22.0	23.0	25.0
H	6.5	6.5	7.5	7.5	8.5	9.0	10.0	11.0	12.0	14.0	14.0	15.0
I	3.0	3.0	2.5	3.0	3.0	3.0	4.0	5.0	5.0	6.0	6.0	6.0
(B)	12.0	19.0	22.0	25.0	25.0	29.0	28.5	31.0	34.0	37.0	41.5	45.0

SPG

SQUARE HEAD PLUGS



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
b	7.0	9.0	10.0	13.0	18.0	19.0	23.0	26.0	29.0	40.0	44.0	59.0
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D2	—	—	—	14.5	18.0	25.0	34.0	39.0	50.0	59.0	75.0	101.0
L1	—	—	—	11.0	16.0	18.0	19.0	21.0	24.0	24.0	27.0	33.0
L2	—	—	—	21.0	26.0	31.0	34.0	36.0	42.0	41.0	50.0	55.0
h	18.0	19.0	20.0	23.0	30.0	33.0	39.0	40.0	45.0	48.0	54.0	59.0
h1	10.0	10.0	11.0	13.0	18.0	21.0	23.0	23.0	26.0	28.0	32.0	37.0
(h2)	8.0	9.0	9.0	10.0	12.0	12.0	16.0	17.0	19.0	20.0	22.0	22.0
I	—	—	—	2.5	2.5	2.5	2.5	2.5	2.5	3.0	3.0	3.0

HPG

HEX HEAD PLUGS



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	14.0	17.0	21.0	26.0	32.0	38.0	46.0	52.0	65.0	80.0	95.0	120.0
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D2	—	—	9.0	14.5	18.0	26.0	34.0	38.5	50.0	60.0	75.0	100.0
L	—	—	20.5	23.0	24.0	30.0	31.0	33.0	34.0	43.5	44.5	45.0
h	18.5	23.0	23.5	27.0	28.0	34.0	35.0	36.0	37.5	48.5	50.0	51.0
h1	12.5	17.0	17.0	19.0	20.0	25.0	25.0	25.0	26.0	36.5	37.0	37.0
(h2)	6.0	6.0	6.5	8.0	8.0	9.0	10.0	11.0	11.5	12.0	13.0	14.0

HCB

HEX CAPS



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) MATERIAL IS NOT AVAILABLE.
- CF8 (316) SHIPPING QUANTITY: $\pm 10\%$.


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	16.0	18.0	20.0	26.0	32.0	39.0	49.0	55.0	66.0	85.0	100.0	125.0
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
C	6.2	9.4	9.7	10.0	11.0	15.0	17.5	18.0	19.0	22.0	24.0	26.0
H	16.0	20.0	21.0	22.5	23.0	26.0	28.5	32.0	35.0	42.0	45.5	55.0
I	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	3.0	6.0	6.0	6.0
(B)	13.0	17.0	18.0	19.5	20.0	23.0	24.5	28.0	32.0	36.0	39.5	49.0

HNT

HEX NUTS



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) MATERIAL IS NOT AVAILABLE.
- CF8 (316) SHIPPING QUANTITY: $\pm 10\%$.


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	19.0	22.0	27.0	32.0	36.0	46.0	55.0	60.0	75.0	90.0	100.0	130.0
h	8.5	8.5	9.0	9.0	10.0	11.0	12.0	13.0	13.5	17.5	21.0	22.0

HBU

HEX BUSHINGS




- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).

DIMENSIONS

UNIT:mm

SIZE SPEC.	1/4"x1/8"	3/8"x1/8"	3/8"x1/4"	1/2"x1/8"	1/2"x1/4"	1/2"x3/8"	3/4"x1/8"	3/4"x1/4"	3/4"x3/8"	3/4"x1/2"	1"x1/8"	1"x1/4"	1"x3/8"	1"x1/2"	1"x3/4"
A	17.0	22.0	22.0	26.0	26.0	26.0	32.0	32.0	32.0	32.0	38.0	38.0	38.0	38.0	38.0
L	15.0	15.0	—	17.0	17.0	—	17.5	17.5	17.5	—	24.5	24.5	24.5	22.0	20.5
D1	1/4"	3/8"	3/8"	1/2"	1/2"	1/2"	3/4"	3/4"	3/4"	3/4"	1"	1"	1"	1"	1"
D2	8.5	11.0	11.0	14.5	14.5	14.5	18.0	18.0	18.0	18.0	26.0	26.0	26.0	26.0	26.0
D4	1/8"	1/8"	1/4"	1/8"	1/4"	3/8"	1/8"	1/4"	3/8"	1/2"	1/8"	1/4"	3/8"	1/2"	3/4"
h	22.5	23.0	23.0	25.5	25.5	25.5	26.5	26.5	26.5	26.5	33.5	33.5	33.5	33.5	33.5
h1	17.0	17.0	17.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	25.5	25.5	25.5	25.5	25.5
(h2)	5.5	6.0	6.0	5.5	5.5	5.5	6.5	6.5	6.5	6.5	8.0	8.0	8.0	8.0	8.0




- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).

DIMENSIONS

UNIT:mm

SIZE SPEC.	1 1/4"×1/8"	1 1/4"×1/4"	1 1/4"×3/8"	1 1/4"×1/2"	1 1/4"×3/4"	1 1/4"×1"	1 1/2"×1/8"	1 1/2"×1/4"	1 1/2"×3/8"	1 1/2"×1/2"	1 1/2"×3/4"
A	46.0	46.0	46.0	46.0	46.0	46.0	52.0	52.0	52.0	52.0	52.0
L	26.0	24.5	24.5	23.0	21.0	19.5	27.0	27.0	26.0	24.0	23.0
D1	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"
D2	35.0	35.0	35.0	35.0	35.0	35.0	40.0	40.0	40.0	40.0	40.0
D4	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1/8"	1/4"	3/8"	1/2"	3/4"
h	34.0	34.0	34.0	34.0	34.0	34.0	36.0	36.0	36.0	36.0	36.0
h1	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0
(h2)	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0

SIZE SPEC.	1 1/2"×1"	1 1/2"×1 1/4"	2"×1/8"	2"×1/4"	2"×3/8"	2"×1/2"	2"×3/4"	2"×1"	2"×1 1/4"	2"×1 1/2"
A	52.0	52.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0	63.0
L	21.0	18.5	28.0	27.0	27.0	25.0	23.0	22.0	20.0	20.0
D1	1 1/2"	1 1/2"	2"	2"	2"	2"	2"	2"	2"	2"
D2	40.0	40.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0
D4	1"	1 1/4"	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"
h	36.0	36.0	36.0	36.0	36.0	36.0	36.0	36.0	36.0	36.0
h1	26.0	26.0	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5
(h2)	10.0	10.0	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5




- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).

DIMENSIONS

UNIT:mm

SIZE SPEC.	2 1/2" x 1 1/2"	2 1/2" x 3/4"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1 1/2"	3" x 3/4"	3" x 1"	3" x 1 1/4"	3" x 1 1/2"
A	80.0	80.0	80.0	80.0	80.0	80.0	95.0	95.0	95.0	95.0	95.0
L	38.5	36.5	34.5	31.5	30.0	29.0	39.0	37.0	35.0	32.0	31.0
D1	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	3"	3"	3"	3"	3"
D2	63.0	63.0	63.0	63.0	63.0	63.0	77.0	77.0	77.0	77.0	77.0
D4	1 1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	1 1/2"	3/4"	1"	1 1/4"	1 1/2"
h	49.0	49.0	49.0	49.0	49.0	49.0	50.0	50.0	50.0	50.0	50.0
h1	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0
(h2)	12.0	12.0	12.0	12.0	12.0	12.0	13.0	13.0	13.0	13.0	13.0

SIZE SPEC.	3" x 2"	3" x 2 1/2"	4" x 1 1/2"	4" x 3/4"	4" x 1"	4" x 1 1/4"	4" x 1 1/2"	4" x 2"	4" x 2 1/2"	4" x 3"
A	95.0	95.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0
L	30.0	26.0	40.0	38.5	36.0	33.5	32.0	31.0	28.0	26.0
D1	3"	3"	4"	4"	4"	4"	4"	4"	4"	4"
D2	77.0	77.0	101.0	101.0	101.0	101.0	101.0	101.0	101.0	101.0
D4	2"	2 1/2"	1 1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
h	50.0	50.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0
h1	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0
(h2)	13.0	13.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0




- THREAD: NPT, BSP (BS21), BSPT, DIN.
 - CF8 (304) & CF8M (316).
 - NPT THREADED SHIPPING
- QUANTITY: $\pm 10\%$.

DIMENSIONS

UNIT:mm

SIZE SPEC.	1/4"×1/8"	3/8"×1/8"	3/8"×1/4"	1/2"×1/8"	1/2"×1/4"	1/2"×3/8"	3/4"×1/8"	3/4"×1/4"	3/4"×3/8"	3/4"×1/2"	1"×1/4"	1"×3/8"	1"×1/2"
A	17.0	21.0	21.0	26.0	26.0	26.0	32.0	32.0	32.0	32.0	38.0	38.0	38.0
D1	1/4"	3/8"	3/8"	1/2"	1/2"	1/2"	3/4"	3/4"	3/4"	3/4"	1"	1"	1"
D2	8.5	10.5	10.5	14.5	14.5	14.5	20.0	20.0	20.0	20.0	25.5	25.5	25.5
D3	5.0	5.0	8.5	5.0	8.5	10.5	5.0	8.5	10.5	14.5	8.5	10.5	14.5
D4	3.2	3.2	6.4	3.2	6.4	9.5	3.2	6.4	9.5	12.7	6.4	9.5	12.7
C1	12.0	11.0	14.0	11.0	14.0	15.0	12.0	13.0	13.0	17.0	15.0	15.0	18.0
C2	18.0	21.0	20.0	21.0	22.0	22.0	27.0	26.0	25.0	25.0	28.0	28.0	28.0
L	31.5	35.0	35.0	39.0	39.0	39.0	41.0	42.0	42.0	45.0	45.5	45.0	48.0
L1	11.0	12.0	12.0	12.0	12.0	13.0	10.5	11.5	11.5	14.5	13.5	13.0	16.0
L2	12.0	13.0	13.0	17.0	17.0	16.0	19.0	19.0	19.0	19.0	20.0	20.0	20.0
L3	8.5	10.0	10.0	10.0	10.0	10.0	11.5	11.5	11.5	11.5	12.0	12.0	12.0

SIZE SPEC.	1"×3/4"	1 1/4"×1/4"	1 1/4"×3/8"	1 1/4"×1/2"	1 1/4"×3/4"	1 1/4"×1"	1 1/2"×1/4"	1 1/2"×3/8"	1 1/2"×1/2"	1 1/2"×3/4"	1 1/2"×1"	1 1/2"×1 1/4"
A	38.0	46.0	46.0	46.0	46.0	46.0	54.0	54.0	54.0	54.0	54.0	54.0
D1	1"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"
D2	25.5	34.0	34.0	34.0	34.0	34.0	39.0	39.0	39.0	39.0	39.0	39.0
D3	20.0	8.5	10.5	14.5	20.0	25.5	8.5	10.5	14.5	20.0	25.5	34.0
D4	3/4"	1/4"	3/8"	1/2"	3/4"	1"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"
C1	19.0	15.0	18.0	18.0	19.0	22.0	15.0	15.0	15.0	19.0	22.0	26.0
C2	29.0	29.0	30.0	30.0	32.0	29.0	31.0	31.0	32.0	31.0	29.0	29.0
L	51.0	47.0	49.0	51.0	55.0	54.0	48.0	48.0	50.0	53.0	54.0	58.0
L1	19.0	14.0	14.0	17.0	19.0	20.0	12.5	12.5	14.5	17.5	19.5	22.5
L2	20.0	21.0	23.0	22.0	24.0	22.0	22.5	22.5	22.5	22.5	21.5	22.5
L3	12.0	12.0	12.0	12.0	12.0	12.0	13.0	13.0	13.0	13.0	13.0	13.0



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).
- MADE FROM STAINLESS STEEL WELDED PIPE.

DIMENSIONS


UNIT:mm

SIZE SPEC.	2"×1/4"	2"×3/8"	2"×1/2"	2"×3/4"	2"×1"	2"×1 1/4"	2"×1 1/2"	2 1/2"×1/2"	2 1/2"×3/4"	2 1/2"×1"	2 1/2"×1 1/4"	2 1/2"×1 1/2"	2 1/2"×2"	3"×1/2"
A	63.0	63.0	63.0	63.0	63.0	63.0	63.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0
D1	2"	2"	2"	2"	2"	2"	2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	3"
D2	51.0	51.0	51.0	51.0	51.0	51.0	51.0	64.0	64.0	64.0	64.0	64.0	64.0	76.0
D3	8.5	10.5	14.5	20.0	25.5	34.0	39.0	14.5	20.0	25.5	34.0	39.0	51.0	14.5
D4	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	1/2"
C1	16.0	17.0	18.0	20.0	22.0	23.0	24.0	20.0	22.0	24.0	26.0	27.0	28.0	21.0
C2	37.0	37.0	37.0	36.0	36.0	37.0	37.0	39.0	38.0	38.0	37.0	38.0	37.0	42.0
L	55.0	57.0	58.0	60.0	62.0	63.0	65.0	62.0	63.0	65.0	67.0	68.0	69.0	66.0
L1	13.0	15.0	17.0	18.0	20.0	21.0	23.0	16.0	18.0	20.0	22.0	23.0	25.0	16.0
L2	26.0	26.0	25.0	26.0	26.0	26.0	26.0	30.0	29.0	29.0	29.0	29.0	28.0	33.0
L3	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	17.0

SIZE SPEC.	3"×3/4"	3"×1"	3"×1 1/4"	3"×1 1/2"	3"×2"	3"×2 1/2"	4"×3/4"	4"×1"	4"×1 1/4"	4"×1 1/2"	4"×2"	4"×2 1/2"	4"×3"
A	95.0	95.0	95.0	95.0	95.0	95.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0
D1	3"	3"	3"	3"	3"	3"	4"	4"	4"	4"	4"	4"	4"
D2	76.0	76.0	76.0	76.0	76.0	76.0	102.0	102.0	102.0	102.0	102.0	102.0	102.0
D3	20.0	25.5	34.0	39.0	51.0	64.0	20.0	25.5	34.0	39.0	51.0	64.0	76.0
D4	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
C1	22.0	24.0	26.0	27.0	29.0	31.0	22.0	25.0	25.0	30.0	29.0	29.0	36.0
C2	43.0	43.0	43.0	43.0	43.0	43.0	48.0	48.0	48.0	48.0	48.0	48.0	48.0
L	68.0	70.0	72.0	73.0	75.0	77.0	73.0	75.0	76.0	81.0	80.0	83.0	87.0
L1	18.0	20.0	22.0	23.0	25.0	27.0	18.0	20.0	21.0	26.0	25.0	28.0	32.0
L2	33.0	33.0	33.0	33.0	33.0	33.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0
L3	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0

HNP

HEX NIPPLE



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).


DIMENSIONS

UNIT:mm

SIZE	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13.0	15.0	20.0	23.0	29.0	36.0	46.0	51.0	63.0	80.0	95.0	120.0
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	31.0	41.0	41.0	50.0	51.0	62.5	62.5	64.0	68.0	73.5	87.0	90.0
L1	12.0	17.0	17.0	20.0	20.0	25.5	25.5	25.0	27.0	28.0	35.0	36.5
L2	7.0	7.0	7.0	10.0	11.0	12.0	12.0	14.0	14.0	17.0	17.0	17.0

ONP

HOSE NIPPLE



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).
- 2 1/2" NPT THREADED IS NOT AVAILABLE.
- SHIPPING QUANTITY: ±10%, INCLUDING CF8 (304) ALL THREADS & CF8 (316) NPT THREAD.


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	16.0	19.0	25.0	31.0	38.0	46.0	52.0	65.0	80.0	95.0	120.0
D1	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D2	6.5	9.5	14.5	18.0	26.0	35.0	40.0	51.5	67.0	78.0	102.0
C	4.0	5.5	6.5	8.5	9.0	9.5	10.5	13.0	16.0	17.0	21.0
C1	17.0	18.0	19.0	23.0	25.0	28.0	31.0	33.0	37.0	43.0	48.0
C2	28.0	31.0	41.0	48.0	55.0	48.0	58.0	74.0	95.0	100.0	105.0
L	46.5	51.5	62.5	72.5	82.0	87.0	92.5	109.5	136.0	147.0	158.0
L1	13.0	13.0	15.5	18.0	19.5	22.5	23.0	24.5	27.0	33.0	36.0
L2	10.0	10.0	10.0	11.5	12.5	12.5	13.5	15.0	16.0	17.0	18.0
(L3)	23.5	28.5	37.0	43.0	50.0	53.0	56.0	70.0	93.0	97.0	104.0
d1	5.0	6.5	9.5	14.5	20.0	27.0	33.0	45.0	58.0	70.0	90.0
d2	8.0	10.0	13.5	19.5	25.5	32.5	38.5	50.5	62.0	75.0	101.0
d3	9.0	11.0	14.5	20.5	26.5	34.0	40.5	52.5	64.0	78.0	104.0

FCP

COUPLINGS/SOCKETS



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).
- MADE FROM STAINLESS STEEL WELDED PIPE.


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
BSPT, NPT	d3	14.0	18.5	21.5	26.5	32.0	39.5	48.5	54.5	66.5	84.0	100.0
	L2	20.0	27.0	28.0	36.0	39.0	43.0	48.0	48.0	56.0	65.0	71.0
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
BSP, DIN2999	D3	14.0	18.5	21.5	26.5	32.0	39.5	48.5	54.5	66.5	82.0	95.0
	L	20.0	25.0	26.0	34.0	36.0	43.0	48.0	48.0	56.0	65.0	71.0

HCP

HALF COUPLINGS/HALF SOCKETS




- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).
- MADE FROM STAINLESS STEEL WELDED PIPE.

DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
d1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
BSPT, NPT	d3	14.0	18.5	21.5	26.5	32.0	39.5	48.5	54.5	66.5	84.0	100.0
	L2	11.0	13.0	14.0	18.0	20.0	21.0	24.0	24.0	28.0	33.0	36.0
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
BSP, DIN2999	D3	14.0	18.5	21.5	26.5	32.0	39.5	48.5	54.5	66.5	82.0	95.0
	L	11.0	13.0	12.0	15.0	17.0	19.0	22.0	22.0	26.0	30.0	33.0




- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).

DIMENSIONS

UNIT:mm

SIZE SPEC.	1/4" x 1/8"	3/8" x 1/8"	3/8" x 1/4"	1/2" x 1/8"	1/2" x 1/4"	1/2" x 3/8"	3/4" x 1/8"	3/4" x 1/4"	3/4" x 3/8"	3/4" x 1/2"	1" x 1/8"	1" x 1/4"	1" x 3/8"	1" x 1/2"	1" x 3/4"
D1	1/4"	3/8"	3/8"	1/2"	1/2"	1/2"	3/4"	3/4"	3/4"	3/4"	1"	1"	1"	1"	1"
D2	20.0	25.5	25.5	30.0	30.0	30.0	36.0	36.0	36.0	36.0	45.0	45.0	45.0	45.0	45.0
D3	18.0	23.0	23.0	28.0	28.0	28.0	33.0	33.0	33.0	33.0	42.0	42.0	42.0	42.0	42.0
C1	6.2	9.4	9.7	10.0	10.0	10.0	10.0	10.0	10.0	10.0	14.0	14.0	14.0	14.0	14.0
H1	6.0	7.0	7.0	8.0	8.0	8.0	9.0	9.0	9.0	9.0	9.0	11.0	11.0	11.0	11.0
d1	1/8"	1/8"	1/4"	1/8"	1/4"	3/8"	1/8"	1/4"	3/8"	1/2"	1/8"	1/4"	3/8"	1/2"	3/4"
d2	16.0	16.0	20.0	16.0	20.0	25.5	16.0	20.0	25.5	30.0	16.0	20.0	25.5	30.0	36.0
d3	14.0	14.0	18.0	14.0	18.0	23.0	14.0	18.0	23.0	28.0	14.0	18.0	23.0	28.0	33.0
C2	11.0	12.0	13.0	9.0	10.0	10.0	13.0	11.0	15.0	15.0	12.0	12.0	13.0	14.0	17.0
H2	6.0	6.0	6.0	7.0	6.0	7.0	7.0	7.0	7.0	8.0	7.0	7.0	7.0	8.0	11.0
L1	16.0	23.0	23.0	24.0	24.0	24.0	22.0	25.0	25.0	25.0	26.0	28.0	28.0	28.0	28.0
L	28.5	41.0	41.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	50.0	50.0	50.0	50.0	50.0
I	3.0	3.0	3.0	2.5	2.5	2.5	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0




- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).

DIMENSIONS

UNIT:mm

SIZE SPEC.	1 1/4" x 1/4"	1 1/4" x 3/8"	1 1/4" x 1/2"	1 1/4" x 3/4"	1 1/4" x 1"	1 1/2" x 1/4"	1 1/2" x 3/8"	1 1/2" x 1/2"	1 1/2" x 3/4"
D1	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/2"	1 1/2"	1 1/2"	1 1/2"
D2	53.0	53.0	53.0	53.0	53.0	60.0	60.0	60.0	60.0
D3	50.0	50.0	50.0	50.0	50.0	56.5	56.5	56.5	56.5
C1	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
H1	11.0	11.0	11.0	12.0	12.0	12.0	12.0	12.0	12.0
d1	1/4"	3/8"	1/2"	3/4"	1"	1/4"	3/8"	1/2"	3/4"
d2	20.0	25.5	30.0	36.0	45.0	20.0	25.5	30.0	36.0
d3	18.0	23.0	28.0	33.0	41.0	18.0	23.0	28.0	33.0
C2	15.0	12.0	13.0	13.0	18.0	18.0	18.0	17.0	19.0
H2	6.0	8.0	10.0	10.0	11.0	6.0	8.0	9.0	10.0
L1	29.0	29.0	29.0	29.0	29.0	31.0	31.0	31.0	31.0
L	50.0	50.0	50.0	50.0	50.0	57.0	57.0	57.0	57.0
I	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5

SIZE SPEC.	1 1/2" x 1"	1 1/2" x 1 1/4"	2" x 1/4"	2" x 3/8"	2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
D1	38.1	38.1	50.8	50.8	50.8	50.8	50.8	50.8	50.8
D2	60.0	60.0	74.0	74.0	74.0	74.0	74.0	74.0	74.0
D3	56.5	56.5	70.0	70.0	70.0	70.0	70.0	70.0	70.0
C1	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
H1	12.0	12.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0
d1	1"	1 1/4"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"
d2	45.0	53.0	20.0	25.5	30.0	36.0	45.0	53.0	60.0
d3	41.0	50.0	18.0	23.0	28.0	33.0	41.0	50.0	56.5
C2	17.0	20.0	16.0	13.0	15.0	15.0	17.0	18.0	20.0
H2	11.0	12.0	5.0	8.0	9.0	10.0	11.0	12.0	12.0
L1	31.0	31.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0
L	57.0	57.0	67.0	67.0	67.0	67.0	67.0	67.0	67.0
I	3.5	3.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).
- CF8 (304) 2 1/2" x 3/4", 3" x 1 1/2", 3" x 3/4" ARE NOT AVAILABLE.

DIMENSIONS


UNIT:mm

SIZE SPEC.	2 1/2" x 3/4"	2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 1 1/2"	3" x 3/4"	3" x 1"	3" x 1 1/4"
D1	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	—	3"	3"	3"
D2	90.0	90.0	90.0	90.0	90.0	—	109.0	109.0	109.0
D3	86.0	86.0	86.0	86.0	86.0	—	104.0	104.0	104.0
C1	23.0	23.0	23.0	23.0	23.0	—	24.0	24.0	24.0
H1	14.0	14.0	14.0	14.0	14.0	—	15.0	15.0	15.0
d1	3/4"	1"	1 1/4"	1 1/2"	2"	—	3/4"	1"	1 1/4"
d2	36.0	45.0	53.0	60.0	74.0	—	36.0	45.0	53.0
d3	33.0	41.0	50.0	56.5	70.0	—	33.0	41.0	50.0
C2	19.0	19.0	22.0	23.0	22.0	—	14.0	16.0	19.0
H2	9.0	11.0	12.0	12.0	14.0	—	10.0	11.0	12.0
L1	43.0	43.0	43.0	43.0	43.0	—	49.0	49.0	49.0
L	76.0	76.0	76.0	76.0	76.0	—	85.0	84.0	84.0
I	6.5	6.5	6.5	6.5	6.5	—	6.5	6.5	6.5

SIZE SPEC.	3" x 1 1/2"	3" x 2"	3" x 2 1/2"	4" x 1"	4" x 1 1/4"	4" x 1 1/2"	4" x 2"	4" x 2 1/2"	4" x 3"
D1	3"	3"	3"	4"	4"	4"	4"	4"	4"
D2	109.0	109.0	109.0	138.0	138.0	138.0	138.0	138.0	138.0
D3	104.0	104.0	104.0	132.0	132.0	132.0	132.0	132.0	132.0
C1	24.0	24.0	24.0	25.0	25.0	25.0	25.0	25.0	25.0
H1	15.0	15.0	15.0	16.0	16.0	16.0	16.0	16.0	16.0
d1	1 1/2"	2"	2 1/2"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
d2	60.0	74.0	90.0	45.0	53.0	60.0	74.0	90.0	109.0
d3	56.5	70.0	86.0	41.0	50.0	56.5	70.0	86.0	104.0
C2	20.0	20.0	26.0	24.0	22.0	24.0	24.0	29.0	25.0
H2	13.0	13.0	14.0	11.0	12.0	13.0	14.0	15.0	16.0
L1	49.0	43.0	49.0	55.0	53.0	53.0	53.0	53.0	55.0
L	85.0	79.0	83.0	97.0	95.0	95.0	97.0	96.0	98.0
I	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5

BNP

BARREL NIPPLE



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).
- MADE FROM STAINLESS STEEL WELDED PIPE.


DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D2	6.0	9.0	12.0	16.0	21.0	27.0	35.0	41.0	53.0	66.0	79.0	103.0
D3	10.0	13.5	17.0	21.0	27.0	33.5	42.0	48.0	60.5	76.0	89.0	114.0
L	40.0	40.0	40.0	60.0	60.0	60.0	80.0	80.0	100.0	100.0	120.0	120.0
L1	10.5	12.0	12.0	17.0	17.0	19.0	22.0	22.0	26.0	26.0	30.0	35.0
(L2)	19.0	16.0	16.0	26.0	26.0	22.0	36.0	36.0	48.0	48.0	60.0	50.0

WNP

WELDING NIPPLE



- THREAD: NPT, BSP (BS21), BSPT, DIN.
- CF8 (304) & CF8M (316).
- MADE FROM STAINLESS STEEL WELDED PIPE.

DIMENSIONS

UNIT:mm

SIZE SPEC.	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D1	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D2	6.0	9.0	12.0	16.0	21.0	27.0	35.0	41.0	53.0	66.0	79.0	103.0
D3	10.0	13.5	17.0	21.0	27.0	33.5	42.0	48.0	60.5	76.0	89.0	114.0
L	30.0	30.0	30.0	35.0	40.0	40.0	50.0	50.0	50.0	60.0	70.0	80.0
L1	10.0	12.0	12.0	17.0	19.0	19.0	22.0	22.0	25.0	25.0	30.0	35.0
(L2)	20.0	18.0	18.0	18.0	21.0	21.0	28.0	28.0	25.0	35.0	40.0	45.0

STANDARD PACKING QUANTITY FOR EACH CAPTON

ITEM \ SIZE		1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
90° ELBOWS BANDED EQUAL (9LB)		400	400	250	125	75	40	24	18	10	5	3	1
TEES BANDED EQUAL (TEB)		* 200	250	125	75	50	30	16	14	8	4	2	1
45° ELBOWS BANDED EQUAL (4LB)		550	350	250	125	75	50	27	20	12	6	4	2
STREET ELBOWS 90° BANDED (SLB)		600	400	250	150	75	40	25	18	10	6	4	1
CROSSES BANDED EQUAL (+ LB)		250	150	100	50	40	20	14	12	6	3	2	1
UNIONS F/F (UCF)		200	175	125	75	50	30	22	18	10	6	4	2
UNIONS M/F (UCM)		200	150	100	80	50	30	18	15	8	4	2	1
UNIONS B/W (UCB)		—	175	125	75	50	30	22	18	10	6	4	—
ROUND CAPS (RCB)		1,000	600	400	250	150	100	60	50	30	18	12	6
SQUARE HEAD PLUGS (SPG)		* 900	* 800	600	600	250	175	100	60	60	24	20	8
HEX HEAD PLUGS (HPG)		1,000	750	600	350	200	130	70	60	30	18	12	5
HEX CAPS (HCB)		1,000	600	400	250	150	100	60	50	30	18	12	6
HEX NUTS (HNT)		1,000	1,000	600	500	300	200	150	120	50	40	25	15
HEX BUSHINGS (HBU)		—	900	650	350	225	125	90	64	36	24	12	6
REDUCING HEX NIPPLE (RNP)		—	500	350	250	150	80	60	36	18	12	6	4
HEX NIPPLE (HNP)		* 600	500	350	200	125	70	60	36	18	12	6	4
HOSE NIPPLE (ONP)		—	500	350	200	100	60	50	30	16	9	5	2
COUPLINGS/SOCKETS (FCP)		800	500	400	200	125	75	60	48	24	12	8	4
HALF COUPLINGS/HALF SOCKETS (HCP)		1,200	1,000	800	400	250	150	120	90	48	24	16	8
REDUCING COUPLINGS (RSB)		—	500	250	150	100	50	36	30	18	8	8	3
BARREL NIPPLE (BNP)		* 500	600	400	175	125	80	50	30	18	12	5	3
WELDING NIPPLE (WNP)		* 600	600	500	300	175	120	80	60	36	18	10	6

UNIT: PCS

SIZE OF CARTON: 1). 24.5cm × 17.0cm × 22.0cm
* 2). 24.5cm × 17.0cm × 12.0cm



TA CHEN STAINLESS PIPE CO., LTD.

TAINAN HEAD OFFICE & FACTORIES:

No .125, HsinTien 2nd Steet, Hsin-Tien,
Jeng-Teh, Tainan, Taiwan, R.O.C.
Tel:(06) 2701756~8, 2793254, 2703170
Fax: 886-6-2701382, 2791154

U.S.A. OFFICE:

5855 Obispo Ave.,
Long Beach, CA. 90805
Tel:(562) 808-8000
Fax:(562) 808-8101

TAIPEI SALES OFFICE:

5F-3, No .36 Lane 48, Sec.3,
Nanking East Road, Taipei, Taiwan, R.O.C.
Tel:(02) 2506-7067, 2506-7094
Fax:(02) 2501-3725, 2501-3783

2008 FEB.